

DEKRA Testing and Certification (Shanghai) Ltd., Guangzhou branch

Flashbay Electronics

Building2, Jixun Industrial Park, Xinjiao, Dong'ao Village, Shatian Town, Huiyang District, Huizhou City, Guangdong Province, P.R.China DEKRA Testing and Certification (Shanghai) Ltd., Guangzhou branch

Block 5, No.3, Qiyun Road, Huangpu District,

Guangzhou, Guangdong, China

Tel.: +86 20 6661 2000 Fax: +86 20 6661 2001

Contact Devin Ai

Tel.: +86 20 6684 3294 E-Mail: devin.ai@dekra.com

Page 1 of 9

TEST REPORT

Test Report No. : 4394310.54 Version 2 (Supersedes version 1)

Project No. : 4394310.00

Test Report Date : 2022-09-09

Job No. : 22-03026

Applicant : Flashbay Electronics

Building2, Jixun Industrial Park, Xinjiao, Dong'ao Village, Shatian Town,

Huiyang District, Huizhou City, Guangdong Province, P.R.China

Product Name : wireless Chargers

Model No. : Forest/FR ,Loop/LP, Stand/SA

Test Requested : RoHS Directive 2011/65/EU & Amendment Directive (EU) 2015/863

- Lead, Mercury, Cadmium, Hexavalent chromium,

- Polybrominated biphenyls (PBB),

- Polybrominated diphenyl ethers (PBDE),

- Bis(2-ethylhexyl) phthalate (DEHP),

- Butyl benzyl phthalate (BBP),

- Dibutyl phthalate (DBP),

- Diisobutyl phthalate (DIBP)

Test Method : Please refer to next pages

Sample Received : 2022-08-30

Testing Period : 2022-08-30 to 2022-09-08


Test Results

- following pages -



<u>Report No.: 4394310.54 Version 2</u> <u>Page 2 of 9</u>

Resume:



Guangzhou, September 9, 2022 Signed for and on behalf of **DEKRA Testing and Certification (Shanghai) Ltd., Guangzhou branch** Chemical & Mechanical



Devin Ai Assistant Manager

Attention: Please note that every statement made in this report is only valid for the samples tested and reported herein. This report shall not be reproduced except in full, without the written approval of the testing laboratory.



Report No.: 4394310.54 Version 2 Page 3 of 9

TEST RESULTS

RoHS Directive 2011/65/EU & Amendment Directive (EU) 2015/863

Test Components:

Test No.	Name of material	Photograph
1	Natural wood	
2	Gray rubber	
3	White plastic	6 3
4	Yellow plastic	* ************************************
5	Copper metal	4 -
6	Beige fabric	5 -
7	Black ceramic	



Report No.: 4394310.54 Version 2

Page 4 of 9

Test No.	Name of material	Photograph
8	Black ceramic	11 9 10
9	Beige plastic	12 -
10	White foam	8
11	Red ceramic	THE PROPERTY OF THE PARTY OF TH
12	Black body	
13	Silvery metal	13 14
14	Copper metal	15
15	Black plastic	
16	Silvery meal solder	16
17	Green PCB board	17 -
18	Brown ceramic	* PENNERS WILLS
19	Gray rubber	



Report No.: 4394310.54 Version 2

Page 5 of 9

Test No.	Name of material	Photograph
20	Black coating	20 21
21	Silvery metal	
22	White plastic with colour printing	22
23	White paper	23 24
24	Silvery metal screw	- 25
25	Black plastic	The second secon
26	Black foam	26



Report No.: 4394310.54 Version 2 Page 6 of 9

Test No.	Name of material	Photograph
27	Gray rubber	27 ES C C R C R C R C R C R C R C R C R C R
28	Gray/white rubber	
29	Black rubber	29
30	Transparent plastic	31
31	Black plastic	

A. Screening Test

Toot No.	Result (mg/kg)						
Test No.	Pb	Cd	Hg	Cr	Br		
1	BL	BL	BL	BL	BL		
2	BL	BL	BL	BL	BL		
3	BL	BL	BL	BL	BL		
4	BL	BL	BL	BL	BL		
5	BL	BL	BL	BL	N.A.		
6	BL	BL	BL	BL	BL		
7	BL	BL	BL	BL	BL		
8	BL	BL	BL	BL	BL		
9	BL	BL	BL	BL	BL		



Report No.: 4394310.54 Version 2 Page 7 of 9

Too! No		Result (mg/kg)					
Test No.	Pb	Cd	Hg	Cr	Br		
10	BL	BL	BL	BL	BL		
11	BL	BL	BL	BL	BL		
12	BL	BL	BL	BL	BL		
13	BL	BL	BL	IC	N.A.		
14	BL	BL	BL	BL	N.A.		
15	BL	BL	BL	IC	BL		
16	BL	BL	BL	BL	N.A.		
17	BL	BL	BL	BL	BL		
18	BL	BL	BL	BL	BL		
19	BL	BL	BL	BL	BL		
20	BL	BL	BL	BL	BL		
21	BL	BL	BL	IC	N.A.		
22	BL	BL	BL	BL	BL		
23	BL	BL	BL	BL	BL		
24	BL	BL	BL	BL	N.A.		
25	BL	BL	BL	BL	BL		
26	BL	BL	BL	BL	BL		
27	BL	BL	BL	BL	BL		
28	BL	BL	BL	BL	BL		
29	BL	BL	BL	BL	BL		
30	BL	BL	BL	BL	BL		
31	BL	BL	BL	BL	BL		

Remark:

- 1. mg/kg = Milligram per kilogram
- 2. BL = Below Limit
- 3. OL = Over Limit, represents test item needs further confirmation.
- 4. IC = Inconclusive, represents test item needs further confirmation.
- 5. N.A. = Not Applicable
- 6. There are the results on total Br while test items on restricted substances are PBBs and PBDEs. There are the results on total Cr while test item on restricted substance is Cr(VI).

Disclaimers:

This XRF screening result is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The results shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.).

B. Chemical Test

Tool Hom	Result			
Test Item	(13)	(15)	(21)	
Hexavalent Chromium Cr(VI)	Negative	N.D.	Negative	

Remark:

- 1. N.D. = Not Detected, less than MDL
- 2. mg/kg = Milligram per kilogram



Report No.: 4394310.54 Version 2 Page 8 of 9

3. According to IEC 62321-7-1:2015 Ed.1.0, result on Cr(VI) for metal sample is shown as Positive/Negative.

Negative = Absence of Cr(VI) in coating layer, Positive = Presence of Cr(VI) in coating layer.

Note:

Results were obtained by EDXRF for primary screening, and further chemical testing by ICP-OES (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) were recommended to be performed, if the concentration exceeded the warning value according to IEC 62321-3-1:2013 Ed. 1.0 (unit: mg/kg).

C. Phthalates Test

For plasticised material(s) in test components

Test Item		MDL	Limit		
Test item	(1)	(20)	(30)	(mg/kg)	(mg/kg)
Bis(2-ethylhexyl) phthalate (DEHP)	N.D.	N.D.	N.D.	50	1000
Butyl benzyl phthalate (BBP)	N.D.	N.D.	N.D.	50	1000
Dibutyl phthalate (DBP)	N.D.	N.D.	N.D.	50	1000
Diisobutyl phthalate (DIBP)	N.D.	N.D.	N.D.	50	1000

Test Item	Result (mg/kg)			MDL	Limit#
restitem	(27)/(28)/(29)	(23)/(25)/(26)	(15)/(22)/(31)	(mg/kg)	(mg/kg)
Bis(2-ethylhexyl) phthalate (DEHP)	N.D.	N.D.	N.D.	50	1000
Butyl benzyl phthalate (BBP)	N.D.	N.D.	N.D.	50	1000
Dibutyl phthalate (DBP)	N.D.	N.D.	N.D.	50	1000
Diisobutyl phthalate (DIBP)	N.D.	N.D.	N.D.	50	1000

Test Item		MDL	Limit#		
Test item	(2)/(17)/(19)	(3)/(4)/(6)	(9)/(10)	(mg/kg)	(mg/kg)
Bis(2-ethylhexyl) phthalate (DEHP)	N.D.	N.D.	N.D.	50	1000
Butyl benzyl phthalate (BBP)	N.D.	N.D.	N.D.	50	1000
Dibutyl phthalate (DBP)	N.D.	N.D.	N.D.	50	1000
Diisobutyl phthalate (DIBP)	N.D.	N.D.	N.D.	50	1000

Remark:

1. N.D. = Not Detected (below MDL)

2. MDL = Method Detection Limit

3. mg/kg = Milligram per kilogram

4. # = The limit for the test result is 1/n of the value in column (where "n" is the number of mixed samples).

Test Method

A. Screening test by XRF spectroscopy: With reference to IEC 62321-3-1: 2013 Ed. 1.0 Screening - Lead, mercury, cadmium, total chromium and total bromine using X-ray fluorescence spectrometry.



Report No.: 4394310.54 Version 2 Page 9 of 9

Screening limits in mg/kg for regulated elements in various material.

Element	Polymer Material	Metallic Material	Composite Material
Cadmium (Cd)	BL≤70 <ic<130≤ol< td=""><td>BL≤70<ic<130≤ol< td=""><td>LOD<ic<150≤ol< td=""></ic<150≤ol<></td></ic<130≤ol<></td></ic<130≤ol<>	BL≤70 <ic<130≤ol< td=""><td>LOD<ic<150≤ol< td=""></ic<150≤ol<></td></ic<130≤ol<>	LOD <ic<150≤ol< td=""></ic<150≤ol<>
Lead (Pb)	BL≤700 <ic<1300≤ol< td=""><td>BL≤700<ic<1300≤ol< td=""><td>BL≤500<ic<1500≤ol< td=""></ic<1500≤ol<></td></ic<1300≤ol<></td></ic<1300≤ol<>	BL≤700 <ic<1300≤ol< td=""><td>BL≤500<ic<1500≤ol< td=""></ic<1500≤ol<></td></ic<1300≤ol<>	BL≤500 <ic<1500≤ol< td=""></ic<1500≤ol<>
Mercury (Hg)	BL≤700 <ic<1300≤ol< td=""><td>BL≤700<ic<1300≤ol< td=""><td>BL≤500<ic<1500≤ol< td=""></ic<1500≤ol<></td></ic<1300≤ol<></td></ic<1300≤ol<>	BL≤700 <ic<1300≤ol< td=""><td>BL≤500<ic<1500≤ol< td=""></ic<1500≤ol<></td></ic<1300≤ol<>	BL≤500 <ic<1500≤ol< td=""></ic<1500≤ol<>
Bromine (Br)	BL≤300 <ic< td=""><td>N.A.</td><td>BL≤250<ic< td=""></ic<></td></ic<>	N.A.	BL≤250 <ic< td=""></ic<>
Chromium (Cr)	BL≤700 <ic< td=""><td>BL≤700<ic< td=""><td>BL≤500<ic< td=""></ic<></td></ic<></td></ic<>	BL≤700 <ic< td=""><td>BL≤500<ic< td=""></ic<></td></ic<>	BL≤500 <ic< td=""></ic<>

BL = Below Limit, OL = Over Limit, IC=Inconclusive, N.A. = Not Applicable, LOD=Limit of Detection

B. Chemical Test

Test Item	Test Method	Test Instrument	MDL	EU RoHS Limit (mg/kg)
Lead (Pb)	IEC 62321-5: 2013 Ed. 1.0 Sec.7	ICP-OES	5mg/kg	1000
Cadmium (Cd)	IEC 62321-5: 2013 Ed. 1.0 Sec.7	ICP-OES	5mg/kg	100
Mercury (Hg)	IEC 62321-4: 2013 AMD 1:2017 Ed. 1.0 Sec.7	ICP-OES	5mg/kg	1000
Hexavalent	IEC 62321-7-1:2015 Ed.1.0 Sec.7	UV-Vis	0.1µg/cm ²	1000
Chromium (Cr(VI))	IEC 62321-7-2:2017 Ed.1.0 Sec.7	UV-Vis	2mg/kg	1000
Polybrominated Biphenyls (PBBs)	IEC 62321-6: 2015 Ed. 1.0 Sec.8	GC-MS	10mg/kg	1000
Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321-6: 2015 Ed. 1.0 Sec.8	GC-MS	10mg/kg	1000
Bis(2-ethylhexyl) phthalate (DEHP)	IEC 62321-8: 2017 Ed. 1.0 Sec.8	GC-MS	50mg/kg	1000
Butyl benzyl phthalate (BBP)	IEC 62321-8: 2017 Ed. 1.0 Sec.8	GC-MS	50mg/kg	1000
Dibutyl phthalate (DBP)	IEC 62321-8: 2017 Ed. 1.0 Sec.8	GC-MS	50mg/kg	1000
Diisobutyl phthalate (DIBP)	IEC 62321-8: 2017 Ed. 1.0 Sec.8	GC-MS	50mg/kg	1000

---End of Report---